

# BAG CLOSURE CATALOG



**BAG CLOSURES • CLOSURE-LABELS • DISPENSERS**



# TABLE OF CONTENTS

## HAND APPLIED BAG CLOSURES

Series A .....	Page 4
Series F.....	Page 5
Series AM .....	Page 6
Series W .....	Page 7
Series W72 .....	Page 8
Series WT, WT230 and WT245 (Tree Clips) .....	Page 9
Series Y .....	Page 10

## HAND APPLIED BAG CLOSURE-LABELS

Series C .....	Page 11
Series MS .....	Page 12
Series PS .....	Page 13
Series P-100 .....	Page 14
Series T-210 .....	Page 15
Series U34 .....	Page 16

## BAG CLOSURES WITH DISPENSERS

Series AA & AB .....	Page 17
Series FA .....	Page 18
Series AD & AE .....	Page 19
Series CA (Closure-Labels) .....	Page 20
Supermarket Bulk Foods Labels (Series CB-1, CB-2, CB1-R, CB2-R, MS-B1, MS-B2, PS-B1, PS-B2) .....	Page 21
Series DJ .....	Page 22
Series DV & DV-STK .....	Page 23
Series JSRC.....	Page 24

## SEMIAUTOMATIC BAG CLOSURES

Series R & S .....	Page 25
Series RJ .....	Page 26
Series RL & SL (including RLP & SLP) .....	Page 27
Series RLS & RLSP .....	Page 28

## SEMIAUTOMATIC BAG CLOSURE-LABELS

Series CR .....	Page 29
Series L .....	Page 30
Series U .....	Page 32

## AUTOMATIC BAG CLOSURES

Series J-NRP & K-NRP .....	Page 33
Series JM-NRP, KM-NRP & KM57-NRP .....	Page 34
Series KMH-NRP .....	Page 35
Series V-NRP .....	Page 36
Series VW-NRP .....	Page 37
Series Z-NRP .....	Page 38
Series Z57-NRP.....	Page 39
Series Z72-NRP .....	Page 40
Series Z90-NRP .....	Page 41



## AUTOMATIC BAG CLOSURE-LABELS

Series CJ & CFJ .....	Page 42
Series JZPF & JZP-200 .....	Page 44
Series M .....	Page 46
Series P, PF & P-200 .....	Page 48
Series PFM & PM-200 .....	Page 50
Series T, TF & T-220 .....	Page 52
Series TFM & TM-220 .....	Page 54
Series TFZ .....	Page 56

## APPENDIX

Bag Closure-Label Information .....	Pages 57-61
-------------------------------------	-------------

### Pre-Printed Closure Information

Series C & CA .....	Page 62
Series CJ .....	Page 64, 65
Series CFJ .....	Page 66, 67
Series CR .....	Page 68
Series JZPF .....	Page 69
Series JZP-200 .....	Page 70
Series L .....	Page 71
Series M, MS .....	Page 72
Series P .....	Page 73
Series PF .....	Page 74
Series PFM, PS .....	Page 75
Series P-100 .....	Page 76
Series P-200 .....	Page 77
Series PM-200 .....	Page 78, 79
Series T .....	Page 80, 81
Series TF .....	Page 82, 83
Series TFM .....	Page 84, 85
Series TFZ .....	Page 86, 87
Series T-210 .....	Page 88
Series T-220 .....	Page 90, 91
Series TM-220 .....	Page 92, 93
Series U .....	Page 94
Series U-34 .....	Page 95

### Dispensers

63-DJ and 64-DV Dispensers .....	Page 96
68-DJ and 69-DV Dispensers .....	Page 97
70-DJ and 71-DV Valance Dispenser .....	Page 98
72 Bulk Dispenser Cup .....	Page 99
76A and 76B Dispensers .....	Page 100
814 Produce Dispenser Kit .....	Page 102

Bag Sizing .....	Page 104
Bag Sizing Charts (Lok Opening Sizes) .....	Page 106
Shipping Carton Dimensions .....	Page 110
Terms, Warranty, Return Merchandise Policy .....	Page 111



# HAND APPLIED BAG CLOSURES

## Series A

**SERIES A** is available with the closure openings noted at the bottom of the page.

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green** and **Tan**  
(Multi-colored packs are not available)

Packaged: ..... 500/strap, 10 straps per carton (0C-0006) 5M

..... 500/strap, 100 straps per carton (0C-0004) 50M

Minimum Order: ..... 5,000

Approximate Shipping Weight:

..... 5M Packs: 7 Lbs (3.2 Kg)


..... 50M Packs: 67 Lbs (30.4 Kg)



MEDIUM DUTY CLOSURES  
UP TO 5 lb. (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

*Size.....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long*





# HAND APPLIED BAG CLOSURES

## Series F

**SERIES F** is available with the closure openings noted at the bottom of the page.

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: For film bag opening: .....350/strap, 10 straps per carton (0C-0006) 3.5M  
.....350/strap, 100 straps per carton (0C-0004) 35M

For net bag opening: .....10,500 (0C-0129) or 17,500 (0C-0004)

Minimum Order: For film bag opening: .....10,500

For net bag opening: .....10,500

Approximate Shipping Weight:

For film bag opening: ..... 3.5 M Packs: 6 Lbs (2.7 Kg), 35M Packs: 64 Lbs (29 Kg)



For net bag opening: ..... 10.5M Packs: 19 Lbs (8.6 Kg), 17.5M Packs: 33 Lbs (15 Kg)



**HEAVY DUTY CLOSURE**  
**UP TO 10 lb. (4.5 Kg)**  
**CONTENT WEIGHT**

0.045"  
(0.114 cm)

**Size.....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long**







# HAND APPLIED BAG CLOSURES

## Series AM

**SERIES AM** is manufactured with lok openings at both ends of the closure and is available with the closure openings noted at the bottom of the page.

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green** and **Tan**  
(Multi-colored packs are not available)

Packaged: ..... 500/metal strap, 10 per carton (0C-0006) 5M

..... 500/metal strap, 100 per carton (0C-0004) 50M

Minimum Order: ..... 5,000


Approximate Shipping Weight: ..5 M Packs: 7.5 Lbs (3.4 Kg), 50M Packs: 67 Lbs (30.4 Kg)



MEDIUM DUTY CLOSURES  
UP TO 5 lb. (2.3 kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**Size.....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long**





# HAND APPLIED BAG CLOSURES

## Series W

**SERIES W** is available with the closure openings noted at the bottom of the page.




HEAVY DUTY CLOSURES  
UP TO 15LB (6.8 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)  
Packaged: ..... 2,000/bag, 5 bags per carton (0C-0004) 10M  
Minimum Order: ..... 10,000  
Approximate Shipping Weight: ..... 10M packs: 32 Lbs (14.5 Kg)

*Size.....1-3/8" (3.49 cm) wide x 1-11/16" (4.29 cm) long*





# HAND APPLIED BAG CLOSURES

## Series W72




EXTRA HEAVY DUTY  
CLOSURES  
UP TO 25LB (11.3 Kg)  
CONTENT WEIGHT

0.072"  
0.183 cm

**SERIES W72** is available with the closure openings noted at the bottom of the page.

Closure Colors available: ..... **White**  
Packaged: ..... 1,250/bag, 6 bags per carton (0C-0004) 7.5M  
Minimum Order: ..... 15,000 (2 cartons)  
Approximate Shipping Weight: ..... 7.5M packs: 39.5 Lbs (17.9 Kg)

*Size.....1-3/8" (3.49 cm) wide x 1-11/16" (4.29 cm) long*







# HAND APPLIED TREE CLIPS

## Series WT, WT230 and WT245




WT230  
MEDIUM DUTY

0.030  
(0.076 cm)



WT245  
HEAVY DUTY

0.045  
(0.114 cm)



WT  
HEAVY DUTY

0.045  
(0.114 cm)

**SERIES WT230** tree clip is designed for use in orchards. A pheromone strip is inserted and threaded between the two 1/4" diameter holes. The closure opening (#5) is snapped onto a tree limb thereby holding the pheromone strip in place.


Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)  
Packaged: ..... 3,000/bag, 5 bags per carton (0C-0004) 15M  
Minimum Order: ..... 15,000  
Approximate Shipping Weight: ..... 15M packs: 34 Lbs (15.4Kg)  
Produced at YAKIMA PLANT ONLY.

**SERIES WT245** is identical to WT230, but is made from a thicker plastic.


**SERIES WT** is designed with one 1/4" diameter hole, and a pheromone strip is inserted and folded. The closure opening (#5) is snapped onto a tree limb thereby holding the pheromone strip in place.

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)  
Packaged: ..... 2,000/bag, 5 bags per carton (0C-0004) 10M  
Minimum Order: ..... 10,000  
Approximate Shipping Weight: ..... 10M packs: 32 Lbs (14.5 Kg)  
Produced at YAKIMA PLANT ONLY.



**Size.....1-3/8" (3.49 cm) wide x 1-11/16" (4.29 cm) long**



WT230 & WT245



WT





# HAND APPLIED BAG CLOSURES

## Series Y




EXTRA HEAVY DUTY  
CLOSURES  
UP TO 40 LBS (18.1 Kg)

**SERIES Y** is available with the closure openings noted at the bottom of the page.

Closure Colors available: ..... **White**  
Packaged: ..... Loose, 4,000 per carton (0C-0522)  
Minimum Order: ..... 4,000  
Approximate Shipping Weight: ..... 4M packs: 37 Lbs (16.8 Kg)

*Size.....1-11/16" (4.29 cm) wide x 2-3/16" (5.55 cm) long*





# HAND APPLIED BAG CLOSURE-LABELS

## Series C



**SERIES C** closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long**

Corner shape of the label may be square or have rounded corners. Three round corner options are available: (See Appendix)

- 1). All four corners rounded to a 3/8" (0.95 cm) radius
- 2). Top two corners rounded to an 11/16" (1.75 cm) radius
- 3). Top two corners rounded to 11/16" (1.75 cm) radius and bottom two rounded to a 3/8" (0.95 cm) radius.

### Medium Duty:

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 500/strap, 2 straps per carton (0C-0005) 1M  
..... 20 straps per carton (0C-0007) 10M

Minimum Order: ..... 10,000

Approximate Shipping Weight: 1M packs: 3 Lbs (1.4 Kg), 10M packs: 28 Lbs (12.8 Kg)

### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 350/strap, 2 straps per carton (0C-0005) 700  
..... 20 straps per carton (0C-0007) 7M

Minimum Order: ..... 14,000

Approximate Shipping Weight: ..... 700 packs: 3 Lbs (1.4Kg), 7M packs: 19 Lbs (8.6 Kg)

Packaged - NET BAG: ..... Loose, 3,000 per carton (0C-0719)

Minimum Order: ..... 14,000

Approximate Shipping Weight - NET BAG: ..... 3M packs : 9 Lbs (4.1 Kg)




MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)




**\*Heavy duty plastic is recommended for net bag openings.**





# HAND APPLIED BAG CLOSURE-LABELS

## Series MS



**SERIES MS** closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.


**Label Size..... 7/8" (2.22 cm) wide x 1-3/8" (3.49 cm) long**

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... Loose or 1,000/bag, 8,000 per carton (0C-0129)  
..... 26,000 per carton (0C-0522)

Minimum Order: ..... 26,000

Approximate Shipping Weight: ... 8M packs: 12 Lbs (5.4 Kg), 26M packs: 30 Lbs. (13.6 Kg)






# HAND APPLIED BAG CLOSURE-LABELS

## Series PS



**SERIES PS** closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.


**Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long**

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... Loose, 7,000 per carton (0C-0129)  
..... 21,000 per carton (0C-0522)

Minimum Order: ..... 42,000

Approx. Shipping Weight: 7M packs: 13 Lbs (5.9 Kg), 21M packs: 32 Lbs (14.5 Kg)





# HAND APPLIED BAG CLOSURE-LABELS

## Series P-100



P-100: Front Printed by 884 Thermal Printer



P-100: Back - Custom printed at factory

**SERIES P-100** closure-labels are designed to be printed with Kwik Lok's 884 Thermal Printer. The printer can print bar codes, and other label variables. The P-100 and 884 Printer allow the packager to print their own labels. The back of the label can be preprinted at a Kwik Lok plant with custom graphics. Labels can be printed on our standard C1S Tagboard or a synthetic label material. They are available with the closure openings noted at the bottom of the page. Labels are available in LEFT HAND ONLY.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated by Kwik Lok's optional 888A Separator unit that removes the labels from the rolls.



**MEDIUM DUTY CLOSURES**  
Up to 5 Lbs. (2.3 kg)

0.030"  
(0.076 cm)

**Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long**

### Medium Duty:

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 2,000 per roll, 8 rolls per carton (0C-0203) 16M

Minimum Order: ..... 48,000 (3 cartons)

Approx. Shipping Weight: ..... 16M packs: 30 Lbs (13.6 Kg)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS. (4.5 KG)

0.045"  
(0.114 cm)


### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,500 per roll, 8 rolls per carton (0C-0203) 12M

Minimum Order: ..... 48,000 (4 cartons)

Approx. Shipping Weight: ..... 12M packs: 34 Lbs (15.4 Kg)



**\*Heavy duty plastic recommended for net bag closures.**

©2018 KWIK LOK CORPORATION - ALL RIGHTS RESERVED

Kwik Lok® and Striplok® are Trademarks of Kwik Lok Corporation. The shape of the closure is protected by trademark registrations in many countries around the world.





# HAND APPLIED BAG CLOSURE-LABELS

## Series T-210



**SERIES T-210** closure-labels are designed to be printed with Kwik Lok's 884 Thermal Printer. The printer can print bar codes, and other label variables. The T-210 and 884 Printer allow the packager to print their own labels. The back of the label can be preprinted at a Kwik Lok plant with custom graphics. Labels can be printed on our standard C1S Tagboard or a synthetic label material. Series T-210 Closure-Labels are available with the closure openings noted at the bottom of the page. Labels are available in **RIGHT HAND ONLY**.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated by Kwik Lok's optional 888A Separator unit that removes the labels from the rolls.

**Label Size** ..... **2 3/4" (6.99 cm) wide x 2 3/4" (6.99 cm) long**



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

### Medium Duty:

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 1,500 per roll, 8 rolls per carton (0C-0203) 12M

Minimum Order: ..... 48,000 (4 cartons)

Approx. Shipping Weight: ..... 12M packs: 45 Lbs (20.4 Kg)



**HEAVY DUTY CLOSURES**  
UP TO 10LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,250 per roll, 8 rolls per carton (0C-0203) 10M

Minimum Order: ..... 50,000 (5 cartons)

Approx. Shipping Weight: ..... 10M packs: 52 Lbs (23.6 Kg)



**\*Heavy duty plastic recommended for net bag openings.**



# HAND APPLIED BAG CLOSURE-LABELS

## Series U34



**SERIES U34** closure-labels can be printed in any number of colors on one or both sides. It is available with the closure openings noted at the bottom of the page. The label is printed on a synthetic label material.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size....3" (7.62 cm) wide x 4" (10.16 cm) long**

### Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green & Tan**  
(Multi-colored packs are not available)

Packaged: ..... 1,000 per roll, 9 rolls per carton (0C-0203) 9M

Minimum Order: ..... 9,000

Approximate Shipping Weight: ..... 9M Packs: 34 Lbs (15.4 Kg)


### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,000 per roll, 9 rolls per carton (0C-0203) 9M

Minimum Order: ..... 9,000


Approximate Shipping Weight: ..... 9M Packs: 36 Lbs (16.3 Kg)



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT



\*Heavy duty plastic recommended for net bag openings.



# HAND APPLIED BAG CLOSURES used w/814 Dispenser Series AA and AB

**Series AA and Series AB** are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser.

**SERIES AA** is available with the closure opening #0 only.

Closure Colors available: ..... **Orange**  
Packaged: ..... 250 per rod, 20 rods per carton (0C-0233) 5M  
Minimum Order: ..... 5,000  
Approximate Shipping Weight: ..... 5M Packs: 7.5 Lbs (3.4 Kg)




MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES AB** is available with the closure openings listed below.

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)  
Packaged: ..... 250 per rod, 20 rods per carton (0C-0233) 5M  
Minimum Order: ..... 5,000  
Approximate Shipping Weight: ..... 5M Packs: 7.5 Lbs (3.4 Kg)

*Size .....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long*



## 814 Kwik Lok Dispenser

SEE APPENDIX FOR 814 DISPENSER INFORMATION



# HAND APPLIED BAG CLOSURES used w/814 Dispenser

## Series FA

**Series FA** is designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser.


**SERIES FA** is available with the closure openings listed below.

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)



Packaged: ..... 175 per rod, 20 rods per carton (0C-0233) 3.5M

Minimum Order: ..... 10,500 (3 cartons)

Approximate Shipping Weight: ..... 3.5M Packs: 7.5 Lbs (3.4 Kg)



**Size** ..... **27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long**



SEE APPENDIX FOR 814 DISPENSER INFORMATION



# HAND APPLIED BAG CLOSURES used w/814 Dispenser

## Series AD and AE

**Series AD and Series AE** are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser. They are manufactured with lok openings at each end of the closure. This design allows the packager to use one closure for a wider range of bag sizes.

**SERIES AD** is available with the closure opening #0-2 only.



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 KG)  
CONTENT WEIGHT



0.030"  
(0.076 cm)

Closure Colors available: ..... **Orange**  
Packaged: ..... 250 per rod, 20 rods per carton (0C-0233) 5M  
Minimum Order: ..... 5,000  
Approximate Shipping Weight: ..... 5M Packs: 7.5 Lbs (3.4 Kg)

**SERIES AE** is available with the closure openings listed below.

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)  
Packaged: ..... 250 per rod, 20 rods per carton (0C-0233) 5M  
Minimum Order: ..... 5,000  
Approximate Shipping Weight: ..... 5M Packs: 7.5 Lbs (3.4 Kg)

**Size** ..... **27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long**



SEE APPENDIX FOR 814 DISPENSER INFORMATION





# HAND APPLIED BAG CLOSURES used w/814 Dispenser

## Series CA Closure-Labels



WET RACK or DRY RACK  
VALANCE INSTALLATION



SEE APPENDIX FOR 814 DISPENSER INFORMATION



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES CA** closure-labels are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser.

They are available with the closure openings noted at the bottom of the page.

The closure-labels have the top two corners rounded to a 11/16" (1.76 cm) radius.

SEE APPENDIX FOR ADDITIONAL CLOSURE LABEL PRINTING INFORMATION.


**Label Size .....1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long**

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green** and **Tan**  
(Multi-colored packs are not available)

Packaged: ..... 175 per rod, 12 rods per carton (0C-0719) 2.1M

Minimum Order: ..... 10,500 (5 cartons)

Approximate Shipping Weight: ..... 2.1M Packs: 13 Lbs (5.9 Kg)







# CLOSURE-LABELS FOR BULK FOOD LABELS

## GENERAL INFORMATION

Kwik Lok Corporation manufactures three sizes of closure-labels for supermarket bulk food sections. These labels permit the shopper to close the bag and mark bin numbers on the package.

The Kwik Lok bag closure gives the shopper a convenient and easy method of closing the bag. The label area permits easy marking of the bin number and assures legibility at the check-out stand.

The labels can be custom printed with bar codes, store logos, slogans or other copy and graphics. Contact us for pricing and information regarding custom printed labels.

## LOK OPENING SIZES

Bulk food closures are supplied in either of two opening sizes which will accommodate most bulk food bags.

## CLOSURE SPECIFICATIONS

Label Sizes: SERIES CB: 1-15/16" wide by 2-1/4" long (4.92 cm x 5.72 cm)

**SERIES CB-1:** Blank labels

**SERIES CB-2:** Preprinted (PLEASE MARK BIN NUMBER BELOW)

**SERIES CB1-R:** Blank labels - packed on rods for 814 Dispenser

**SERIES CB2-R:** Preprinted (PLEASE MARK BIN NUMBER BELOW) -  
packed on rods for 814 Dispenser

SERIES MS: 7/8" wide by 1-3/8" long (2.22 cm x 3.49 cm)

**SERIES MS-B1:** Blank labels

**SERIES MS-B2:** Preprinted (MARK BIN NO. BELOW)

SERIES PS: 7/8" wide by 2-3/4" long (2.22 cm x 6.99 cm)

**SERIES PS-B1:** Blank labels

**SERIES PS-B2:** Preprinted (PLEASE MARK BIN NUMBER BELOW)

Label Material: C1S Tagboard (10 pt, white)


## PACKAGE SPECIFICATIONS

**SERIES CB-1 & CB-2:** See Series C, Medium Duty Closures for packaging information and minimum quantities.

**SERIES CB1-R & CB2-R:** See Series CA, Medium Duty Closures for packaging information and minimum quantities.

**SERIES MS-B1 & MS-B2:** See Series MS, Medium Duty Closures for packaging information and minimum quantities.

**SERIES PS-B1 & PS-B2:** See Series PS, Medium Duty Closures for packaging information and minimum quantities.





# HAND APPLIED BAG CLOSURES used with Dispensers

## Series DJ

**SERIES DJ** were designed for use in either the Type 63-DJ, 68-DJ or 70-DJ Dispensers. (See Appendix for additional dispenser information.) The closure is available with the closure openings listed below.



MEDIUM DUTY CLOSURES  
UP TO 5 LBS 2.3 Kg  
CONTENT WEIGHT

0.030"  
(0.076 cm)


Closure Colors available: .....**Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 1,000 per roll, 10 rolls per carton (0C-0906) 10M

Minimum Order: ..... 10,000

Approximate Shipping Weight: ..... 10M Packs: 9 Lbs (4.1 Kg)

*Size..... 27/32" (2.14 cm) wide x 7/8" (2.22 cm) long*



**TYPE 63-DJ DISPENSER**  
(68-DJ & 70-DJ not shown)



# HAND APPLIED BAG CLOSURES used with Dispensers

## Series DV & DV-STK

**SERIES DV and DV-STK** were designed for use in either the Type 64-DV, 69-DV or 71-DV Dispensers. (See Appendix for additional dispenser information.)

**SERIES DV** is available with the closure openings listed below.

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green** and **Tan**  
(Multi-colored packs are not available)

Packaged: ..... 1,250 per roll, 10 rolls per carton (0C-0906) 12.5M

Minimum Order: ..... 12,500

Approximate Shipping Weight: ..... 12.5 M Packs: 9 Lbs (4.1 Kg)



MEDIUM DUTY CLOSURES  
UP TO 3 LBS 1.4 Kg  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES DV-STK** is available with the closure opening GP-1 only.


Closure Colors available: ..... **Orange and Green**  
(Multi-colored packs are not available)

Packaged: ..... 1,250 per roll, 10 rolls per carton (0C-0906) (12.5M)

Minimum Order: ..... 12,500

Approximate Shipping Weight: ..... 12.5 M Packs: 9 Lbs (4.1 Kg)

*Size..... 11/16" (1.75 cm) wide x 27/32" (2.14 cm) long*



**TYPE 64-DV DISPENSER**  
(69-DV & 71-DV not shown)



# HAND APPLIED BAG CLOSURES

## Series JSRC Dispenser

**SERIES JSRC** is packed loose in a carton dispenser. The carton has a pull-down opening allowing the loose closures to be individually used in a manual bag closing application. Closures dispensed from the carton offer an inexpensive, practical way of offering the preferred Kwik Lok® on bagged packages. The closure is available with the closure openings shown below.



**MEDIUM DUTY CLOSURES**  
**UP TO 5 LBS (2.3 Kg)**  
**CONTENT WEIGHT**

0.030"  
(0.076 cm)

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Dispenser Carton Size:.....8-1/2" x 8-1/2" x 4-1/2" (21.6 cm x 21.6 cm x 11.4 cm)

Packaged: .....Loose, 4,000 per dispenser, 6 dispensers per carton (0C-0004) 24M

Minimum Order: .....24,000


Approximate Shipping Weight: .....24M Packs: 22 Lbs (10 Kg)

Produced at YAKIMA PLANT ONLY.

**Size..... 27/32" (2.14 cm) wide x 7/8" (2.22 cm) long**

**TGR-2**

**TGR-3**





# SEMI-AUTOMATIC BAG CLOSURES

## Series R & S



MEDIUM DUTY CLOSURES  
UP TO 5 LBS 2.3 Kg  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES R** striploks are available with the closure openings noted at the bottom of the page.

**For bag closing machines:** .....086 and 1002

Closure Colors available: .....Red, White, Blue, Orange, Yellow, Green and Tan  
(Multi-colored packs are not available)

Packaged: ..... Rolls of 3,000, 6 rolls per carton (0C-0129) 18M

..... Rolls of 3,000, 15 rolls per carton (0C-0522) 45M

Minimum Order: ..... 18,000

Approximate Shipping Weight: ..... 18M Packs: 19 Lbs (8.6 Kg)

..... 45M Packs: 44 Lbs (20.0 Kg)



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

**SERIES S** striploks are available with the closure openings noted at the bottom of the page.

**For Bag Closing Machines:** .....086 and 1002

Closure Colors available: .....Red, White and Blue  
(Multi-colored packs are not available)

Packaged: ..... Rolls of 2,200, 6 rolls per carton (0C-0129) 13.2M


..... Rolls of 2,200, 15 rolls per carton (0C-0522) 33M

Minimum Order: ..... 13,200

Approximate Shipping Weight: ..... 13.2M Packs: 20 Lbs (9.1 Kg)

..... 33M Packs: 43 Lbs (19.5 Kg)

**Size**..... 27/32" (2.14 cm) wide x 1" (2.54 cm) long



\*Heavy duty plastic is recommended for net bag openings.



# SEMI-AUTOMATIC BAG CLOSURES

## Series RJ



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES RJ** closures are available with the closure openings noted at the bottom of the page.

**For bag closing machines:** ..... **086 and 1003**


Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multiple colors can be packaged in each carton -  
5 rolls per color minimum [7.5M])

Packaged: ..... 1,500/roll, 10 rolls per carton (0C-0733) 15M

Minimum Order: ..... 15,000

Approximate Shipping Weight: ..... 15M packs: 16 Lbs (7.3 Kg)

**Size..... 27/32" (2.14 cm) wide x 57/64" (2.26 cm) long**





# SEMI-AUTOMATIC BAG CLOSURES

## Series RL & SL (Including Series RLP and SLP)



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
0.076 cm)

**SERIES RL** is manufactured with a small white label affixed to the closure. The label is absorbant, allowing the closure to be printed with price, date, codes or other information. It is available with the closure openings noted at the bottom of the page.

**SERIES RLP** is identical to Series RL, except the label is preprinted with the words "SELL BY".

**For bag closing machines:** ..... 086 and 1002

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 2,500/roll, 6 rolls per carton (0C-0129) 15M

Minimum Order: ..... 15,000

Approximate Shipping Weight: ..... 15M Pack: 16 Lbs (7.3 Kg)



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
0.114 cm)

**SERIES SL** is available with the closure openings noted at the bottom of the page.

**SERIES SLP** is preprinted with the words "SELL BY".

**For bag closing machines:** ..... 086 and 1002

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)



Packaged: ..... 1,850/roll, 6 rolls per carton (0C-0129) 11.1M

Minimum Order: ..... 11,100

Approximate Shipping Weight: ..... 11.1M Pack: 17 Lbs (7.7 Kg)

**Size**..... 27/32" (2.14 cm) wide x 1" (2.54cm) long

**Label Dimensions**..... 3/8" (0.96 cm) x 3/4" (1.91 cm)




\*Heavy duty plastic recommended for net bag openings.





# SEMI-AUTOMATIC BAG CLOSURES

## Series RLS & RLSP



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
0.076 cm)

**SERIES RLS** is manufactured with a small white label affixed to the closure. The label is absorbant, allowing the closure to be printed with price, date, codes or other information. It is available with the closure openings noted at the bottom of the page.

**SERIES RLSP** is identical to Series RLS, except the label is preprinted with the words "SELL BY".

**For bag closing machines:** .....1003

Closure Colors available: .....**Red, White, Blue, Orange, Yellow, Green and Tan**  
((Multi-colored packs are not available)


Packaged: .....1,250/roll, 10 rolls per carton (0C-0733) 12.5M

Minimum Order: .....12,500

Approximate Shipping Weight: .....12.5M Pack: 13 Lbs (5.9 Kg)

**Size**..... 27/32" (2.14 cm) wide x 1" (2.54cm) long

**Label Dimensions**.....3/8" (0.96 cm) x 3/4" (1.91 cm)







# SEMI-AUTOMATIC BAG CLOSURE-LABELS

## Series CR

**SERIES CR** closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Corner shape of the label may be square or have rounded corners. Two round corner options are available.

- 1) All four corners rounded to a 3/8" (0.95 cm) radius.
- 2) Top two corners rounded to a 3/8" (0.95 cm) radius.

For bag closing machine: .....086

**Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long**

### Medium Duty:

Closure Colors available: .....**Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 1,100/roll, 13 rolls per carton (0C-0203) 14.3M

Minimum Order: .....14,300

Approximate Shipping Weight: .....14.3M Pack: 33 Lbs (5.9 Kg)

### Heavy Duty:

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,100/roll, 13 rolls per carton (0C-0203) 14.3M

Minimum Order: .....14,300

Approximate Shipping Weight: .....14.3M Pack: 42 Lbs (19.0 Kg)




**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)




\*Heavy duty plastic recommended for net bag openings.



# SEMI-AUTOMATIC BAG CLOSURE-LABELS

## Series L



**SERIES L** closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS 2.3 Kg  
CONTENT WEIGHT

0.030"  
(0.076 cm)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

For bag closing machines: ..... 082 and 086

**Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long**

### Medium Duty:

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 1,100/roll, 27 rolls per carton (0C-0203) 29.7M

Minimum Order: ..... 29,700

Approximate Shipping Weight: ..... 29.7M Pack: 52 Lbs (23.6 Kg)


### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,000/roll, 27 rolls per carton (0C-0203) 27M

Minimum Order: ..... 27,000

Approximate Shipping Weight: ..... 27M Pack: 60 Lbs (27.2 Kg)



**\*Heavy duty plastic recommended for net bag openings.**

©2018 KWIK LOK CORPORATION - ALL RIGHTS RESERVED

Kwik Lok® and Striplot® are Trademarks of Kwik Lok Corporation. The shape of the closure is protected by trademark registrations in many countries around the world.



# SEMI-AUTOMATIC BAG CLOSURE-LABELS

## Series L



The standard Series L closure-label is printed on coated one-side Paper Labels. The front of the label is printed on the coated side. The coated side will permit the printing of brighter colors and sharp color illustrations.



Labels that will be printed with a printer mounted on the bag closing machine must be printed with the front on the uncoated side of the Tagboard Labels. This permits the ink to absorb into the material and prevents ink smears.

Uncoated papers are absorbent, so inks, varnishes and coatings perform differently than on coated papers. It is generally not a good idea to print four-color illustrations on the uncoated side of our Tagboard Labels.



# SEMI-AUTOMATIC BAG CLOSURE-LABELS

## Series U



**SERIES U** closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

For bag closing machines: ..... 086

Corner shape of the label may be square or have all corners rounded to a 3/8" radius.

**Label Size** ..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

### Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, and Tan** (Multi-colored packs are not available)

Packaged: ..... 1,100/roll, 9 rolls/carton (0C-0203) 9.9M

Minimum Order: ..... 9,900

Approximate Shipping Weight: ..... 9.9M Packs: 34 Lbs (15.4 Kg)



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS 2.3 Kg  
CONTENT WEIGHT

0.030"  
(0.076 cm)

### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**

(Multi-colored packs are not available)

Packaged: ..... 1,000/roll, 9 rolls/carton (0C-0203) 9M




Minimum Order: ..... 9,000

Approximate Shipping Weight: ..... 9M Packs; 40 Lbs (18.1 Kg)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)



**\*Heavy duty plastic recommended for net bag openings.**



# AUTOMATIC BAG CLOSURES

## Series J-NRP & K-NRP

**SERIES J-NRP** is available with the closure openings noted at the bottom of the page.



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

For bag closing machines: ..... 087, 088, 865, 872XLS, 872XLS LM and 893  
For the Closure (Auto) Printer-Separator. ....898

Closure Colors available: .....Red, White, Blue, Orange, Yellow, Green and Tan  
(Multi-colored packs are not available)

Packaged: ..... 5,000/roll, 12 rolls per carton (0C-2500) 60M

Minimum Order: .....60,000

Approximate Shipping Weight: .....60M Pack: 49 Lbs (22.2 Kg)



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

**SERIES K-NRP** striplok is identical to the J-NRP design, but manufactured with a heavy duty thickness. It is available with the closure openings noted at the bottom of the page.

For bag closing machines: ..... 087, 088, 865, 872XLS and 872XLS LM  
For the Closure (Auto)Printer-Separator. ....898


Closure Colors available: .....Red, White and Blue  
(Multi-colored packs are not available)

Packaged: ..... 2,500/roll, 15 rolls per carton (0C-0522) 37.5M

Minimum Order: .....37,500

Approximate Shipping Weight: .....37.5M Pack: 42 Lbs (19.1 Kg)

Size..... 27/32" (2.14 cm) wide x 7/8" (2.22 cm) long



\*Heavy duty plastic is recommended for net bag openings.



# AUTOMATIC BAG CLOSURES

## Series JM-NRP, KM-NRP & KM57-NRP



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES JM-NRP** Striploks are available with the closure openings noted at the bottom of the page.

**For bag closing machines:** .....087, 088, 865, 872XLS and 893

**For the Closure (Auto)Printer-Separator:**.....898

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 4,000/roll, 10 rolls per carton (0C-0522)

Minimum Order: ..... 40,000

Approximate Shipping Weight: ..... 40M Packs: 44 Lbs (20.0 Kg)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

**SERIES KM-NRP** Striploks are available with the closure openings noted at the bottom of the page.

**For Bag Closing Machines:** .....087, 088, 865 and 872XLS

**For the Closure (Auto)Printer-Separator:**.....898

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 2,500/roll, 10 rolls per carton (0C-0522)

Minimum Order: ..... 25,000

Approximate Shipping Weight: ..... 25M Packs: 40 Lbs (18.1 Kg)



**HEAVY DUTY PLUS CLOSURES**  
UP TO 20 LBS (9.1 Kg)  
CONTENT WEIGHT

0.057"  
(0.145 cm)

**SERIES KM57-NRP** Striploks are available with the closure openings noted at the bottom of the page.

**For Bag Closing Machines:** .....865

**For the Closure (Auto)Printer-Separator:**.....898


Closure Colors available: ..... **WHITE ONLY**

Packaged: ..... 2,200/roll, 10 rolls per carton (0C-0522)


Minimum Order: ..... 22,000

Approximate Shipping Weight: ..... 22M Packs: 42 Lbs (19.1 Kg)

**Size..... 7/8" (2.22 cm) wide x 1-5/16" (3.33 cm) long**



TGR-6 Not available in Series JM-NRP



R5A Not available in Series JM-NRP

**\*Heavy duty closure recommended for net bag openings.**



# AUTOMATIC BAG CLOSURES

## Series KMH-NRP



**HEAVY DUTY CLOSURES**  
**UP TO 10 LBS (4.5 Kg)**  
**CONTENT WEIGHT**


0.045"  
(0.114 cm)

**SERIES KMH-NRP** Striploks are identical to the KM-NRP, but feature a 3/8" diameter hanger hole. This series is available with the **TGR-5** closure opening only.

**For bag closing machines: .....087, 865 and 872XLS**  
Closure Colors available: ..... **Red, White and Blue**  
Packaged: .....2,500/roll, 10 rolls per carton (0C-0522) 25M  
Minimum Order: ..... 25,000  
Approximate Shipping Weight: ..... 25M Packs: 40 Lbs (18.1 Kg)

Produced at YAKIMA PLANT ONLY.

**Size..... 7/8" (2.22 cm) wide x 1-5/16" (3.33 cm) long**





# AUTOMATIC BAG CLOSURES

## Series V-NRP



MEDIUM DUTY CLOSURES  
UP TO 3 Lbs (1.4 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES V-NRP** is available with the closure openings noted at the bottom of the page.

**For bag closing machines: ..... 872XLS**


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 5,000/roll, 15 rolls per carton (0C-0522) 75M

Minimum Order: ..... 75,000

Approximate Shipping Weight: ..... 75M Packs: 48 Lbs (21.8 Kg)

**Size..... 11/16" (1.75 cm) wide x 27/32" (2.14 cm) long**







# AUTOMATIC BAG CLOSURES

## Series VW-NRP



MEDIUM DUTY CLOSURES  
UP TO 3 Lbs (1.4 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES VW-NRP** is available with the closure openings noted at the bottom of the page.

For bag closing machines: .....872XLS and 893


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: .....5,000/roll, 10 rolls per carton (0C-0522) 50M

Minimum Order: ..... 50,000

Approximate Shipping Weight: ..... 50M Packs: 48 Lbs (21.8 Kg)

*Size..... 11/16" (1.75 cm) wide x 1-5/16" (3.33 cm) long*





# AUTOMATIC BAG CLOSURES

## Series Z-NRP



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

**SERIES Z-NRP** is available with the closure openings noted at the bottom of the page.

For bag closing machines: ..... 865 and 872XLS


Closure Colors available: ..... **Red, White, and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 2,100/roll, 8 rolls per carton (0C-0522) 16.8M

Minimum Order: ..... 16,800

Approximate Shipping Weight: ..... 16.8M Pack: 56 Lbs (25.4 Kg)

**Size.....1-11/64" (2.98 cm) wide x 1-11/16" (4.29 cm) long**






# AUTOMATIC BAG CLOSURES

## Series Z57-NRP

**SERIES Z57-NRP** is available with the closure openings noted at the bottom of the page.



**HEAVY DUTY PLUS  
CLOSURES  
UP TO 20 LBS (9.1 Kg)  
CONTENT WEIGHT**

0.057"  
(0.145 cm)

**For bag closing machines: .....865**

Closure Colors available: ..... **White**



Packaged: ..... 1,575/roll, 8 rolls per carton (0C-0522) 12.6M

Minimum Order: ..... 25,200

Approximate Shipping Weight: ..... 12.6M Pack: 42 Lbs (19.1 Kg)

Produced at NEW HAVEN PLANT ONLY.

**Size..... 1-11/64" (2.98 cm) wide x 1-11/16" (4.29 cm) long**





# AUTOMATIC BAG CLOSURES

## Series Z72-NRP

**SERIES Z72-NRP** is available with the closure openings noted at the bottom of the page.

**For bag closing machines: .....865**

Closure Colors available: ..... **White**

Packaged: ..... 1,050/roll, 8 rolls per carton (0C-0522) 8.4M

Minimum Order: .....16,800

Approximate Shipping Weight: .....8.4M Pack: 45 Lbs (20.4 Kg)


Produced at NEW HAVEN PLANT ONLY.




EXTRA HEAVY DUTY  
CLOSURES  
UP TO 30 LBS (13.6 Kg)  
CONTENT WEIGHT

0.072"  
(0.183 cm)

**Size.....1-11/64" (2.98 cm) wide x 1-11/16" (4.29 cm) long**



5M & 6M are generally used for mesh bags





# AUTOMATIC BAG CLOSURES

## Series Z90-NRP



MAXIMUM HEAVY DUTY  
CLOSURES  
UP TO 50 LBS (22.7 Kg)  
CONTENT WEIGHT

0.090"  
(0.229 cm)

**SERIES Z90-NRP** is available with the closure openings noted at the bottom of the page.

**For bag closing machines:** .....865

Closure Colors available: ..... **White**


Packaged: ..... 1,000/roll, 8 rolls per carton (0C-0522) 8M

Minimum Order: ..... 8,000


Approximate Shipping Weight: ..... 8M Packs: 48 Lbs (21.8 Kg)

Produced at NEW HAVEN PLANT ONLY.

**Size.....1-11/64" (2.98 cm) wide x 1-11/16" (4.29 cm) long**



5M & 6M are generally used for mesh bags






# AUTOMATIC BAG CLOSURE-LABELS

## Series CJ & CFJ

*Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long*

**SERIES CJ CLOSURE-LABELS** - The closure is glued to the back of the label.



**FRONT**



**BACK**

---

**SERIES CFJ CLOSURE-LABELS** - The closure is glued to the front of the label



**FRONT**



**BACK**




# AUTOMATIC BAG CLOSURES-LABELS

## Series CJ & CFJ

**SERIES CJ** and **CFJ** closure-labels are custom printed in any number of colors on both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

*Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long*



**SERIES CJ** for bag closing machines: ..... 872XLS LM

**SERIES CFJ** for bag closing machines: .....087, 088, 865, 872XLS LM and 893


### Medium Duty:

Closure Colors available: .....Red, White, Blue, Orange, Yellow, Green and Tan  
(Multi-colored packs are not available)

Packaged: ..... 1,500/roll, 10 rolls per carton (0C-0203) 15M

Minimum Order: ..... 45,000 (3 cartons)

Approximate Shipping Weight: .....15M Pack: 29 Lbs (13.2 Kg)



**SERIES CJ** for bag closing machines: ..... 872XLS LM

**SERIES CFJ** for bag closing machines: .....087, 088, 865 and 872XLS LM


### Heavy Duty:

Closure Colors available: .....Red, White and Blue  
(Multi-colored packs are not available)

Packaged: ..... 1,300/roll, 10 rolls per carton (0C-0203) 13M

Minimum Order: ..... 52,000 (4 cartons)

Approximate Shipping Weight: .....13M Pack: 34 Lbs (15.4 Kg)



\*Heavy duty plastic recommended for net bag openings.




# AUTOMATIC BAG CLOSURE-LABELS

## Series JZPF & JZP-200

*Label Size..... 1-3/16" (3 cm) wide x 2-3/4" (6.99 cm) long*

### SERIES JZPF CLOSURE-LABELS



The label can be custom printed on both sides. The closure is glued to the front of the label.

### SERIES JZP-200 CLOSURE-LABELS



Custom Printed Front

Back Printed by 884 Thermal Printer

Series JZP-200 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled, and can be used on the Model 865 Kwik Lok Bag Closing Machine. The front of the label can be custom printed - this side of the label will face out, away from the package, towards the consumer.

The 884 Print Area is 1.06" (2.69 cm) wide x 2.19" (5.56 cm) long. Note: The 884 cannot print directly over the closure.





# AUTOMATIC BAG CLOSURE-LABELS

## Series JZPF & JZP-200


**SERIES JZPF** and **JZP-200** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size..... 1-3/16" (3 cm) wide x 2-3/4" (6.99 cm) long**

**SERIES JZPF** for bag closing machine: .....865

**SERIES JZP-200** for bag closing machine: .....865  
for Thermal Printer .....884



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

### Medium Duty:

Closure Colors available: .....**Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 1,800/roll, 8 rolls per carton (0C-0203)14.4M

Minimum Order: ..... 43,200 (3 cartons)

Approximate Shipping Weight: .....14.4M Pack: 35 Lbs (15.9 Kg)


### Heavy Duty:

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,250/roll, 8 rolls per carton (0C-0203) 10M

Minimum Order: ..... 40,000 (4 cartons)

Approximate Shipping Weight: .....10M Pack: 33 Lbs (15 Kg)



\*Heavy duty plastic is recommended for net bag openings.



# AUTOMATIC BAG CLOSURE-LABELS

## Series M




**SERIES M** closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**SERIES M** for bag closing machines:.....872XLS LM

**Label Size**..... 7/8" (2.22 cm) wide x 1-3/8" (3.49 cm) long



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

### Medium Duty:

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 2,000/roll, 13 rolls per carton (0C-0203) 26M

Minimum Order: ..... 26,000

Approximate Shipping Weight: ..... 26M packs: 30 Lbs. (13.6 Kg)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)


### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,500/roll, 13 rolls per carton (0C-0203) 19.5M

Minimum Order: ..... 39,000 (2 cartons)

Approximate Shipping Weight: ..... 19.5M packs: 30 Lbs. (13.6 Kg)



**\*Heavy duty plastic recommended for net bag openings.**

# Kwik Lok®

**"SNAP ON"  
TAGS**







# AUTOMATIC BAG CLOSURE-LABELS

## Series P, PF & P-200

Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long

### SERIES P CLOSURE-LABELS




The label can be custom printed on both sides. The closure is glued to the back of the label.

### SERIES PF CLOSURE-LABELS



The label can be custom printed on both sides. The closure is glued to the front of the label.

### SERIES P-200 CLOSURE-LABELS




Custom Printed Front

Back Printed by 884 Thermal Printer

Series P-200 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled, and can be used in appropriate Kwik Lok Bag Closing Machines or the 898 Closure-Printer Separator. The front of the label can be custom printed - this side of the label will face out, away from the package, towards the consumer.

The 884 Print Area is 2-3/16" (5.55 cm) x 3/4" (1.91 cm) Note: The 884 cannot print directly over the closure.

### SERIES PF CLOSURE-LABELS



Front Printed by 883M Thermal Printer

Custom Printed Back



# AUTOMATIC BAG CLOSURE-LABELS

## Series P, PF & P-200

**SERIES P, PF** and **P-200** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.



SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size**..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long

**SERIES P** for bag closing machines: ..... 872XLS LM

**SERIES PF** for bag closing machines: ..... 087, 088, 865, 872XLS LM and 893  
for the Closure (Auto)Printer-Separator ..... 898

**SERIES P-200** for bag closing machines: ..... 087, 088 and 865  
for the Closure (Auto)Printer-Separator ..... 898  
for Thermal Printer ..... 884



### Medium Duty:

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 2,000/roll, 8 rolls per carton (0C-0203) 16M

Minimum Order: ..... 48,000 (3 cartons)

Approximate Shipping Weight: ..... 16M Pack: 30 Lbs (13.6 Kg)


### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,500/roll, 8 rolls per carton (0C-0203) 12M

Minimum Order: ..... 48,000 (4 cartons)

Approximate Shipping Weight: ..... 12M Pack: 34 Lbs (15.4 Kg)



\*Heavy duty plastic recommended for net bag openings.



# AUTOMATIC BAG CLOSURE-LABELS

## Series PFM & PM-200

*Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long*

### SERIES PFM CLOSURE-LABELS



The label can be custom printed both sides. The closure is glued to the front of the label.

### SERIES PM-200 CLOSURE-LABELS



**Custom Printed Front**

**Back Printed by 884 Thermal Printer**

Series PM-200 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled and can be used in one of the Automatic Bag Closing Machines or the 898 Closure-Printer Separator. The front of the label can be custom printed - this side of the label will face out, away from the package, towards the consumer.

884 PRINT AREA: 1-15/16" (4.92 cm) x 3/4" (1.91 cm). The 884 will not print on the material directly above the glued closure. When applied to the package the custom printed side (front) will face out, away from the package, towards the consumer.

### SERIES PFM CLOSURE-LABELS



**Custom Printed Back**

**Front Printed by 883M Thermal Printer**






# AUTOMATIC BAG CLOSURE-LABELS

## Series PFM & PM-200

**SERIES PFM and PM-200** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long**



**SERIES PFM** for bag closing machines: ..... 087, 088, 865 and 893  
for the Closure (Auto)Printer-Separator .....898

**SERIES PM-200** for bag closing machines: ..... 087, 088 and 865  
for the Closure (Auto)Printer-Separator .....898  
for Thermal Printer .....884

### Medium Duty:

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 2,000/roll, 7 rolls per carton (0C-0203) 14M

Minimum Order: ..... 42,000 (3 cartons)

Approximate Shipping Weight: ..... 14M Pack: 32 Lbs (14.5 Kg)

Produced at YAKIMA PLANT ONLY.

### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,500/roll, 7 rolls per carton (0C-0203) 10.5M

Minimum Order: ..... 42,000 (4 cartons)

Approximate Shipping Weight: ..... 10.5M Pack: 32 Lbs (14.5 Kg)

Produced at YAKIMA PLANT ONLY.

### Heavy DutyPlus:


Closure Colors available: ..... **White**

Packaged: ..... 1,250/roll, 7 rolls per carton (0C-0203) 8.75M

Minimum Order: ..... 43,750 (5 cartons)

Approximate Shipping Weight: ..... 8.75M Pack: 30 Lbs (13.6 Kg)

Produced at YAKIMA PLANT ONLY.



\*Heavy duty plastic recommended for net bag openings.





# AUTOMATIC BAG CLOSURE-LABELS

## Series T, TF & T-220

Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

### SERIES T CLOSURE-LABELS



Series T closure-labels are designed to be used with Kwik Lok's 872XLS LM Automatic Bag Closing Machine. The label can be custom printed on both sides. The closure is glued to the back of the label.


### SERIES TF CLOSURE-LABELS



Series TF closure-labels are designed to be used with Kwik Lok's 865, 872, & 893 Ultra Automatic Bag Closing Machines, the 087 & 088 Semiautomatic Machines and the 898 Closure-Printer Separator. The label is custom printed on both sides. The closure is glued to the front of the label.

### SERIES T-220 CLOSURE-LABELS


THIS AREA PRINTED BY 884 THERMAL PRINTER



Custom printed front with lower portion of label back custom printed

### SERIES TF CLOSURE LABEL

Custom printed front with upper portion of label back custom printed



THIS AREA PRINTED BY 883M THERMAL PRINTER

Series T-220 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled twice and can be used in various Automatic and Semiautomatic Bag Closing Machines and the 898 Closure-Printer Separator. The front of the label will face out, away from the package, towards the consumer. A trigger mark is printed on the front to activate the 884 Printer.



# AUTOMATIC BAG CLOSURE-LABELS

## Series T, TF & T-220

**SERIES T, TF and T-220** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long**

**SERIES T** for bag closing machines: ..... 872XLS LM

**SERIES TF** for bag closing machines: .....087, 088, 865, 872XLS LM and 893  
for the Closure (Auto)Printer-Separator .....898

**SERIES T-220** for bag closing machines: ..... 087, 088 and 865  
for the Closure (Auto)Printer-Separator .....898  
for Thermal Printer .....884



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

### Medium Duty:

Closure Colors available: .....Red, White, Blue, Orange, Yellow, Green and Tan  
(Multi-colored packs are not available)

Packaged: ..... 1,500/roll, 8 rolls per carton (0C-0203) 12M

Minimum Order: ..... 48,000 (4 cartons)

Approximate Shipping Weight: .....12M Pack: 45 Lbs (20.4 Kg)


### Heavy Duty:

Closure Colors available: .....Red, White and Blue  
(Multi-colored packs are not available)

Packaged: ..... 1,250/roll, 8 rolls per carton (0C-0203) 10M

Minimum Order: ..... 50,000 (5 cartons)

Approximate Shipping Weight: .....10M Pack: 50 Lbs (22.7 Kg)



\*Heavy duty plastic recommended for net bag openings.



# AUTOMATIC BAG CLOSURE-LABELS

## Series TFM & TM-220

Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long



### SERIES TFM CLOSURE-LABELS

Custom printed front with upper portion of  
label back custom printed

### SERIES TFM CLOSURE-LABELS

Series TFM closure-labels are designed to be used with Kwik Lok's 865 Automatic and 087 Semiautomatic Bag Closing Machines, and the 898 Closure-Printer Separator. The label can be custom printed both sides. Closure glued to front of label.



THIS AREA PRINTED BY THE 883M PRINTER

THIS AREA PRINTED BY THE 884  
THERMAL PRINTER



Custom Printed Front Lower portion of label custom printed

### SERIES TM-220 CLOSURE-LABELS

Series TM-220 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled twice and can be used in Automatic and Semiautomatic Bag Closing Machine, as well as the 898 Closure-Printer Separator. The front of the label will face out, away from the package, towards the consumer. A trigger mark is printed on the front to activate the 884 Printer.




# AUTOMATIC BAG CLOSURE-LABELS

## Series TFM & TM-220

**SERIES TFM and TM-220** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long**



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT



**HEAVY DUTY PLUS CLOSURES**  
UP TO 20 LBS (9.1 Kg)  
CONTENT WEIGHT

**SERIES TFM** for bag closing machines: ..... 087, 088, 865 and 893  
for the Closure (Auto)Printer-Separator .....898

**SERIES TM-220** for bag closing machines: ..... 087, 088 and 865  
for the Closure (Auto)Printer-Separator .....898  
for Thermal Printer .....884

### Medium Duty:

Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... 1,500/roll, 7 rolls per carton (0C-0203) 10.5M

Minimum Order: ..... 42,000 (4 cartons)

Approximate Shipping Weight: ..... 10.5M Pack: 45 Lbs (20.4 Kg)

Produced at YAKIMA PLANT ONLY.

### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,250/roll, 7 rolls per carton (0C-0203) 8.75M

Minimum Order: ..... 43,750 (5 cartons)

Approximate Shipping Weight: ..... 8.75M Pack: 40 Lbs (18.2 Kg)

Produced at YAKIMA PLANT ONLY.

### Heavy Duty Plus:


Closure Colors available: ..... **White**

Packaged: ..... 1,000/roll, 7 rolls per carton (0C-0203) 7M

Minimum Order: ..... 42,000 (6 cartons)

Approximate Shipping Weight: ..... 7M Pack: 35 Lbs (15.9 Kg)

Produced at YAKIMA PLANT ONLY.



**\*Heavy Duty Plastic recommended for net bag openings.**



# AUTOMATIC BAG CLOSURE-LABELS

## Series TFZ



The closure is glued to the front of the label.

**SERIES TFZ** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long**



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

**SERIES TFZ for bag closing machines: .....865**

### Heavy Duty:


Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,000/roll, 7 rolls per carton (0C-0203) 7M

Minimum Order: ..... 42,000 (6 cartons)

Approximate Shipping Weight: .....7M Pack: 38 Lbs (17.2 Kg)

Produced at YAKIMA PLANT ONLY.



RIGHT HAND ONLY



## APPENDIX

# BAG CLOSURE-LABEL INFORMATION

Kwik Lok can provide complete design services. A design mock-up can be provided at no charge, along with a quotation of all costs. Mock-up can be sent to the customer as a PDF digital file via e-mail. Using electronic PDF files allows fast, easy communications during the design process. A hard copy proof can be furnished as soon as the customer has accepted the final design. Press Proofs can be provided and shipped to the customer. Contact the production plant for Press Proof costs.

Kwik Lok closure-labels are printed on offset lithography presses. Printing inks used are 4-color process; spot colors are limited to Pantone Matching System (PMS) colors. All spot colors must be identified by PMS Numbers. The company contracts printing to outside vendors. Press check by customers, or their agent(s) is permitted and must be pre-arranged. The person making the press check must be authorized to sign-off on the press sheet.

**DIGITAL ARTWORK:** Customers wishing to provide their own art should send files in digital form. Kwik Lok supports the following applications: Adobe Illustrator, Adobe Photoshop and Adobe InDesign. Artwork provided in other formats should be saved as an eps file. Linked files **MUST** be included and provided as esp or tiff files. Files can be furnished on disk or sent by e-mail.

All artwork designed by Kwik Lok will remain the property of Kwik Lok Corporation and held for the exclusive use of the customer as long as the files remain active. Files will be deemed inactive if, during a period of two years, the label(s) have not been ordered. Inactive files will be permanently removed from our servers.

**LABEL MATERIALS:** All Kwik Lok plants stock two basic label materials: Coated one side (C1S) paper tagboard, white, 10pt.; a synthetic material, white, 10 mil. The Yakima plant also has access to coated two-side tagboard, white, 10 pt.


**Special materials:** Generally we do not accept orders calling for specialty materials. All material must be pre-approved by Kwik Lok; samples of special materials must be provided for tests to test compatibility of materials with our production equipment.

**COMBINING LABEL VARIETIES FOR PRICING:** Label orders containing more than one label can be combined for pricing as long as the labels are printed with spot colors and ALL colors remain identical. 4-Color process labels can be combined for pricing as long as the colors remain the same and only the text changes. For example, the labels may go from "Granny Smith" to "Red Delicious" to "Golden".


Labels combined to obtain a lower unit price may be subject to one or more additional charges such as: Press changes, tooling changes, variety changes, etc.

**FLOW DIRECTION:** Some labels must be matched with the Kwik Lok machines that will be used to close the bag using the closure-label. Machines that are designated as **RIGHT HAND** or **LEFT HAND** can only use labels that are produced as **RIGHT HAND** or **LEFT HAND** labels. This information can be obtained from the Kwik Lok machine's serial number plate. The last letter of the **MODEL NUMBER** will be either **R** (right hand) or **L** (left hand). If there is any question, please provide us with the serial number(s) of the machines that will be used to close the bag with the closure-labels being ordered.

**DETERMINE FLOW DIRECTION: 872 & 893 AUTOMATIC MACHINES - ALSO 865 (HORIZONTAL PKGS.)**



**DETERMINE FLOW DIRECTION: 865 AUTOMATIC MACHINES (VERTICAL PACKAGES)**







## APPENDIX

### BAG CLOSURE-LABEL INFORMATION


#### SERIES C COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Three basic Copy Positions are possible as noted below.

Copy Position #1




Copy Position #2




Copy Position #3

#### SERIES C CORNER SHAPES



All Four Corners  
Square



All Four Corners  
3/8" (0.95 cm) Radius



Top Two Corners: 11/16" (1.75 cm) Radius  
Bottom Two Corners: 3/8" (0.95 cm) Radius  
or  
Top Two Corners Only: 11/16" (1.75 cm) Radius





## APPENDIX

### BAG CLOSURE-LABEL INFORMATION

#### SERIES T COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Two basic Copy Positions are possible as noted below. Closure is always glued on the corner of the label.

Copy positions apply to Series T, TF, TFM, T-220. RIGHT HAND SHOWN - LEFT HAND OPPOSITE.



Copy Position #1



Copy Position #2

#### SERIES T CORNER SHAPES

Also TF, T-220, TFM



Three Corners Rounded  
3/8" (0.95 cm) Radius



Four Corners Square



## APPENDIX

### BAG CLOSURE-LABEL INFORMATION

#### SERIES U CORNER SHAPES

Also Series U-34



All Four Corners  
3/8" (0.95 cm) Radius



All Four Corners  
Square

#### SERIES U COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Three basic Copy Positions are possible as noted below.

Copy Position #2



Copy Position #3

Copy Position #1



## APPENDIX

### BAG CLOSURE-LABEL INFORMATION

#### CODE AREA Series CR, U & L

Kwik Lok's 086 Semiautomatic Bag Closing Machine can be purchased with a printer to print dates, prices, lot codes, etc. on the label as the bags are being closed by the machine. The code area must be kept free of copy and graphics. Code area is shown below.



Code Area Dimensions: 9/16" (1.43 cm) wide x 7/8" (2.22 cm) long, centered on label.


Note: The printer requires an absorbant surface. The front of the label (facing out towards the consumer) will be printed on the uncoated side of our standard C1S Tagboard.

## SERIES C & CA


Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

FRONT OF LABEL



BACK OF LABEL



### ALTERNATE CLOSURE POSITIONS



### CORNERS CAN BE SQUARE OR ROUNDED







### **EASY TO OPEN... EASY TO CLOSE... EASY TO READ**

#### **TO OPEN**



#### **TO CLOSE**



A Kwik Lok package is easy to open, no confusing twisted wire to unravel. The all-plastic Kwik Lok closure snaps off in a quick simple motion. Reclosing the bag is just as easy, making your package consumer friendly. Your product and its package are important. Why not use the best closure available?

Consumers are increasingly looking for package information such as “Sell By”, unit price, etc. Kwik Lok allows you to print this information right on the closure. It is always in the same place and easy to read. Information that is overprinted on the bag graphics can be hard to locate and read.

## **Kwik Lok® ....**


## **BAG CLOSING**

## **BAG CODING**

## **CONVENIENT PACKAGE**

## SERIES CJ: LEFT HAND

Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long





## ALTERNATE CLOSURE POSITION

CORNERS CAN BE SQUARE OR ROUNDED (3/8" [.95 cm] RADIUS).



## SERIES CJ: RIGHT HAND

Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long




### ALTERNATE CLOSURE POSITION

CORNERS CAN BE SQUARE OR ROUNDED (3/8" [.95 cm] RADIUS).

## SERIES CFJ: LEFT HAND

Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long




## ALTERNATE CLOSURE POSITION

CORNERS CAN BE SQUARE OR ROUNDED (3/8" [.95 cm] RADIUS).



## SERIES CFJ: RIGHT HAND

Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long




## ALTERNATE CLOSURE POSITION

CORNERS CAN BE SQUARE OR ROUNDED (3/8" [.95 cm] RADIUS).


## SERIES CR

Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

FRONT OF LABEL





BACK OF LABEL



NO INK AREA  
.31" (.79 cm) X .69" (1.75 cm)



Bleed Area: 2.19" (5.56 cm) x 2.50" (6.35 cm)

### ALTERNATE CLOSURE POSITIONS



Red Box is Copy Free Area  
.44" (1.12 cm) x  
1.00" (2.54 cm)


### CORNER SHAPE OPTIONS



### SERIES JZPF: LEFT HAND (Yakima)


Label Size: 1-3/16" (3.01 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL



NO INK AREA  
.25" (.64 cm) X 1.00" (2.54 cm)

BACK OF LABEL




Bleed Area: 1.44" (3.66 cm) x 3.00" (7.62 cm)

### SERIES JZPF: RIGHT HAND (Yakima)


Label Size: 1-3/16" (3.01 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL



NO INK AREA  
.25" (.64 cm) X 1.00" (2.54 cm)

BACK OF LABEL




Bleed Area: 1.44" (3.66 cm) x 3.00" (7.62 cm)


## SERIES JZP-200: LEFT HAND (Yakima)

Label Size: 1-3/16" (3.01 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL



BACK OF LABEL



The JZP-200 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the back of the label facing up. This is the side on which the 884 will print.


Upon exiting the 884 the printed labels will be or recoiled for use in the 865 Automatic Bag Closing Machine. When recoiled and placed on the 865, the front of the label will be facing out, away from the package (the side that will be seen by the consumer).

Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the front require coated paper.


## SERIES JZP-200: RIGHT HAND (Yakima)

Label Size: 1-3/16" (3.01 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL



BACK OF LABEL



## Series L

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long


FRONT OF LABEL



Alternate Code Area (uncoated side)  
.56" (1.42 cm) x .88" (2.24 cm)

Bleed Area: 1.13" (2.87 cm) x 3.00" (7.62 cm)


BACK OF LABEL



NO INK AREA  
.31" (.79 cm) X .69" (1.75 cm)


## Series M Left Hand

Label Size: 7/8" (2.24 cm) wide x 1-3/8" (3.50 cm) long




## Series M Right Hand

Label Size: 7/8" (2.24 cm) wide x 1-3/8" (3.50 cm) long



## Series MS


Label Size: 7/8" (2.24 cm) wide x 1-3/8" (3.50 cm) long



## Series P Left Hand


Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL



Bleed Area: 1.13" (2.87 cm) x 3.00" (7.62 cm)

BACK OF LABEL



NO INK AREA  
.25" (.64 cm) X .69" (1.75 cm)

## Series P Right Hand


Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL



Bleed Area: 1.13" (2.87 cm) x 3.00" (7.62 cm)

BACK OF LABEL




NO INK AREA  
.25" (.64 cm) X .69" (1.75 cm)


## Series PF Left Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL




BACK OF LABEL




## Series PF Right Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL



BACK OF LABEL






## Series PFM Left Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL




BACK OF LABEL




## Series PFM Right Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL




BACK OF LABEL




## Series PS

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL




BACK OF LABEL



## Series P-100

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long




The P-100 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the coated side of the label facing up. This is the side on which the 884 will print.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated.

**Note:** Kwik Lok's standard label material is a coated one-side tagboard ... the 884 **MUST** print on a coated side. Order coated two-side tagboard if the graphics on the custom printed side of label require coated paper.

## Series P-200 Left Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long




The P-200 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the back of the label facing up. This is the side on which the 884 will print.

Upon exiting the 884 the printed labels will either be run through a separator for hand closing applications ... or recoiled for use in the 865 Automatic Bag Closing Machine. When recoiled and placed on the 865, the front of the label will be facing out, away from the package (the side that will be seen by the consumer).

Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the front require coated paper.


## Series P-200 Right Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long



## Series PM-200 Left Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long




The PM-200 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the back of the label facing up. This is the side on which the 884 will print.

Upon exiting the 884 the printed labels will either be run through a separator for hand closing applications ... or recoiled for use in the 865 Automatic Bag Closing Machine. When recoiled and placed on the 865, the front of the label will be facing out, away from the package (the side that will be seen by the consumer).

Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the front require coated paper.

## Series PM-200 Right Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long





The PM-200 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the back of the label facing up. This is the side on which the 884 will print.

Upon exiting the 884 the printed labels will either be run through a separator for hand closing applications ... or recoiled for use in the 865 Automatic Bag Closing Machine. When recoiled and placed on the 865, the front of the label will be facing out, away from the package (the side that will be seen by the consumer).

Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the front require coated paper.

## SERIES T: LEFT HAND


Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long




Corners can be Square or with 3/8" (.95 cm) Radius

## SERIES T: RIGHT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long




FRONT OF LABEL




BACK OF LABEL

Bleed Area: 3.00" (7.62 cm) x 3.00" (7.62 cm)



ALTERNATE CLOSURE POSITION: FRONT



ALTERNATE CLOSURE POSITION: BACK


Corners can be Square or with 3/8" (.95 cm) Radius




## SERIES TF: LEFT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long


FRONT OF LABEL




BACK OF LABEL



Bleed Area: 3.00" (7.62 cm) wide x 3.00" (7.62 cm) long



ALTERNATE CLOSURE POSITION:





ALTERNATE CLOSURE POSITION: BACK

Corners can be Square or with 3/8" (.95 cm) Radius

## SERIES TF: RIGHT HAND


Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long




Corners can be Square or with 3/8" (.95 cm) Radius

## SERIES TFM: LEFT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long





Bleed Area: 3.00" (7.62 cm) wide x 3.00" (7.62 cm) long



Corners can be Square or with 3/8" (.95 cm) Radius

## SERIES TFM: RIGHT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long





Corners can be Square or with 3/8" (.95 cm) Radius

## SERIES TFZ: LEFT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL

BACK OF LABEL



ALTERNATE CLOSURE POSITION: FRONT

ALTERNATE CLOSURE POSITION: BACK


Corners can be Square or with 3/8" (.95 cm) Radius

## SERIES TFZ: RIGHT HAND


Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL

BACK OF LABEL



Bleed Area: 3.00" (7.62 cm) wide x 3.00" (7.62 cm) long




ALTERNATE CLOSURE POSITION: FRONT

ALTERNATE CLOSURE POSITION: BACK

Corners can be Square or with 3/8" (.95 cm) Radius

## SERIES T-210: RIGHT HAND (ONLY)

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long






# Kwik Lok®

**"SNAP ON"  
TAGS**



## SERIES T-220: Left Hand

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long




### ALTERNATE CLOSURE POSITION: FRONT

Corners can be Square or with 3/8" (.95 cm) Radius

## SERIES T-220: Right Hand

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long




### ALTERNATE CLOSURE POSITION: FRONT

Corners can be Square or with 3/8" (.95 cm) Radius


## SERIES TM-220 LEFT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long



## SERIES TM-220: RIGHT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long






## SERIES U


Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL




Copy Position #2

BACK OF LABEL




Bleed Area: 3.00" (7.62 cm) x 3.00" (7.62 cm)



Copy Position #3

ALTERNATE CLOSURE LOCATIONS




Copy Position #1

Corners can be Square or with 3/8" (.95 cm) Radius


## SERIES U34

Label Size: 3" (7.62 cm) wide x 4" (10.16 cm) long

FRONT OF LABEL



BACK OF LABEL



Bleed Area: 3.25" (8.26 cm) x 4.25" (10.80 cm)


Corners can be Square or with 3/8" (.95 cm) Radius






## APPENDIX

### 63-DJ AND 64-DV DISPENSER



The **63-DJ and 64-DV Dispensers** are inexpensive, portable, “table-top” models constructed of ABS plastic. With no moving parts, the units are virtually maintenance free and extremely simple to use.



**63-DJ uses the DJ Closure.**



**64-DV uses the DV Closure.**

#### DISPENSER SPECIFICATIONS




Size: ..... 9” (22.86 cm) wide x 10-3/4” (27.31 cm) long x 4-1/4” (10.80 cm) high  
Material: ..... ABS Plastic  
Approximate Shipping Weight: (2 per carton).....4 Lbs (1.8 Kg.)



## APPENDIX

### 68-DJ AND 69-DV ISLAND DISPENSER

The **68-DJ and 69-DV Dispensers** are models designed to sit under roll stock in the produce department.



**68-DJ uses the DJ Closure.**







**69-DV uses the DV Closure.**



## APPENDIX

### 70-DJ AND 71-DV VALANCE DISPENSER

The **70-DJ and 71-DV Dispensers** are designed to be attached to the valance in the produce department. It can be attached on the face or on the top of the valance.



70-DJ uses the DJ Closure.



71-DV uses the DV Closure.



## APPENDIX

### 72 BULK DISPENSER CUP



The **72 Dispenser** allows closures or closure-labels to be placed loose in the 72 'Cup' Dispenser.

The 72 Dispenser uses any of the following:

- A and B Closures
- A-M Closures
- AA, AB and FA Closures
- CB-2 Closure-Labels
- MS-B2 Closure-Labels
- PS-B2 Closure-Labels






ILLUSTRATION H (TOP OF ROLL BAG)





## APPENDIX

### 76A AND 76B DISPENSERS

The **76A Valance Dispenser** can be directly attached to the valance in the produce department.



The **76B Island Dispenser** can be attached to the roll stock stand with one of two brackets listed below.



The **76A and 76B Dispensers** use "C" and CB-2 Closure Labels




Series CB-2






## APPENDIX

### 76A AND 76B DISPENSERS



The **76B Valance Dispenser** can be mounted in the produce department three different ways, shown below.

#### 76B-VALANCE INSTALLATIONS





## APPENDIX

### 814 PRODUCE DISPENSER KIT

The **Type 814 Dispenser** is constructed of virtually unbreakable ABS plastic. They can be mounted to any flat, clean surface using double-sided tape (provided).

The 814 can be used with any of the following:

- AA Closures
- AB Closures
- AD Closures
- CA Closure-Label
- CB2-R Closure Label




**814 Kwik Lok Dispenser**

#### 814B w/826 ADAPTER BRACKET SET

The **826 Adapter Bracket Set** permits the 814 Dispenser to be installed on existing roll bag mounts. Two or four bolts (depending on roll bag mount) quickly secures the adapter bracket to the mount. Two self-tapping screws attach the dispenser to the brackets.



**WET RACK or DRY RACK  
VALANCE INSTALLATION**



**DRY RACK  
ISLAND INSTALLATION**

#### 861 ADAPTER BRACKET SET

The **861 Adapter Bracket Set** permits the 814 Dispenser to be mounted on Island Bag Stands.


The 861 fits stands with a 3/4" O.D. (1.9 cm) pipe. The 861-B fits stands with a 7/8" (2.22 cm) pipe.





## APPENDIX


### 814 PRODUCE DISPENSER KIT



814B with 075 VALANCE MT BRACKET-FACE

The **074 (top)** and **075 (face)** Valance Brackets allow the 814 Dispenser to be directly mounted to the top or face of the valance above the produce.

#### 074 and 075 VALANCE INSTALLATIONS





## APPENDIX BAG SIZING

Kwik Lok Corporation assumes no responsibility regarding the suitability of the bags for their intended application. To avoid costly errors, it is recommended that the bag sizes be carefully selected and the initial orders kept to the minimum quantity pending confirmation of acceptable operation and finished package appearance.


To assist you in the selection of bags, the following information is offered:

### BAG WIDTH:


Add the width of product + the height of product + 1/2" (12.7mm).

### BAG LENGTH FORMULAS:

To determine the proper bag length for a consistently shaped product (e.g. Bread, Bun Clusters, Trays, English Muffins, etc.) follow this formula:



**TOTAL BAG LENGTH = PRODUCT LENGTH + 1/2 DIAGONAL LENGTH OF THE PACKAGE END  
+ 4 INCHES (101.6MM) (Not including the wicket lip)**



To determine the proper bag length for a loose bulk product (i.e. Oranges, Potatoes, Sugar, Ice, Macaroni, etc) follow this procedure.

1. Fill bag to desired weight using samples of the product.
2. Close bag with the proper Kwik Lok® Closure.
3. Check the length of the bag above the closure. The proper bag length would allow 4 inches (101.6mm) above the closure (not including the wicket lip.)

**NOTE:** Normal variations in size and density of products will occur. Oranges, grapefruit and potatoes will dehydrate as the season progresses; bakery products vary due to over proofing; and density of ice will change because of certain manufacturing techniques. Therefore, these bag length formulas take into account these variations to give maximum automatic bag closing dependability.

### BAG GUSSETT:

The bag gussett is 1/2 of the product height.

### BAG THICKNESS:

The thickness of the bag is dictated by several factors. The type and weight of the product is a consideration as well as the quality of the final product as determined by the customer. Thickness ranges are as follows (but not limited to):

- Bakery: 0.75 to 2.0 mil (19.05 to 50.8 micron)
- Produce: 1.0 to 2.5 mil (25.4 to 63.5 micron)
- Bulk Produce: 2.0 to 4.0 mil (50.8 to 101.6 micron)
- Ice: 1.25 to 2.25 mil (31.75 to 57.15 micron)
- General packaging: 0.5 to 3.5 mil (12.7 to 88.9 micron)



## APPENDIX

### BAG SIZING (WICKET)

#### WICKET:

While the number of bags on a wicket can vary, it is preferable to wicket no more than 500 bags at one time. This ensures easier loading, and avoids the lumping resulting from the four layers of bag at the gusset section of the bags. For some thicker film bags, the maximum number of bags per wicket will be lower. The film should be free to slide up the wicket as bags are depleted. Special attention should be made as to how the bags are loaded on the wicket.

#### WICKET DETAIL




FIGURE 1: WICKET SIZE FOR 5" WICKET




FIGURE 2: BAG SPECIFICATION FOR 5" WICKET




FIGURE 3: DETAIL 'A' (optional construction for wicket holes)



## APPENDIX

# BAG SIZING (LOK OPENING SIZE)

The purpose of this article is to provide an aid in the selection of a closure opening for a particular size and type of bag. This article contains a chart that places similar sized openings into groups, and two charts that are used to determine which group a bag fits into. There is also a listing of bag types with generalized notes on closure opening recommendations.

Note: Polyethylene bags differ depending on what agents are added to the resin and what coatings/printing are applied. These variables can impact the ability of the Closer to pack a bag into what would appear to be the proper opening. Due to the potential inaccuracies of the charts, methods of closing and bag variables, this article is only an aid in determining closure opening selection. Official bag sizing recommendations must originate from Kwik Lok Yakima.

Chart 1: All of the available openings are placed in order, beginning with the smallest on the left and ending with the largest on the right. The order of arrangement is determined by the lok opening size. The majority of the openings are placed into groups. Charts 2 and 3 refer back to these Groups.

Chart 2: Use this chart for sizing small to medium sized polyethylene type bags. As an example: A bag with a width of 12 inches (30.5 cm) x 1.5 mil (38.1 microns) falls into Group C. From Chart 1, select the opening from Group C depending on the method of application. Opening #1 for hand applied, Opening GP-3 for Semiautomatic closing and Opening TGR-3 for Automatic closing.

Chart 3: Use this chart for sizing heavy mil and wide polyethylene type bags. See Chart 2 paragraph above for usage information.

### Bag Type: General Information

CLAF (Full): Generally closed with a KM-NRP or Z-NRP TGR opening.

CLAF (Partial): This type of bag is of CLAF material with an all polyethylene top. Use Charts 2 and 3. However, the closure opening will not accommodate the CLAF material that can occur if attempting to close a tight package.

Drawstring: (Example: Leno onion bag) Three net openings (N-0, N-0/1 and N-1) are used to close drawstrings depending on size of string and available opening in a chosen series. See 'Mesh' below.

Foil: (Example: Bread Bag) Use Charts 2 and 3. Increase the opening size recommendation by one group.

Leno: This rather stiff mesh material requires a large opening. Generally a Z-NRP #6 is used.

Mesh: (Example: soft knitted net potato bag) Generally closed with a K-NRP or KM-NRP TGR type opening. Note: When replacing a drawstring with a closure, it is not recommended that the length of the bag needs to be increased so that there is enough bag top for the Closer to work with.

Paper: (Paper-poly combo): (Example: Bread Bag) Generally a KW-NRP R5B closure is recommended, and in some cases the KM-NRP TGR-6 is utilized.

Polyethylene: (Example: Standard U.S. bread bags) Use Charts 2 and 3.

Polyethylene w/anti (low)-slip agent: (Example: 20 Lb carrot bag) Use Charts 2 and 3. Increase the opening size recommendation by one group if sizing for an automatic closer.

Polyethylene for ice bags (or other cold room environments): Use Charts 2 and 3. Increase the opening size recommendation by one group if sizing for an automatic closer. It is not mandatory, but recommended, to use an opening without side-teeth (Example: Instead of a TGR-5 use a #3 opening).


Polyethylene Master: (Example: Twin-packed bread bag) Typically a KM-NRP TGR-6 or a Z-NRP TG-7 closure is used to close the outer bag of a multiple bread loaf package. The large opening size is used to accommodate up to all bag necks, which includes the inner bags.

Polypropylene: (Example: Bag produced by a Vertical Form and Fill Machine) Use Charts 2 and 3. Increase the opening size recommended closure by two groups. A bag width of 12 inches (30.5 cm) x 1.5 mil (38.1 microns) falls into Group C (TGR-3), but the recommended closure opening is increased to Group E (TGR-5).

Vexar/Extruded Net: These bags are closed with any of the N-style openings. It is best to select the tightest opening possible. It is also recommended that, in most cases, heavy duty plastic be specified.




## APPENDIX CHART 1



**Volume of Closure Openings**  
Chart 1




## APPENDIX CHART 2





## APPENDIX CHART 3



LOK OPENING SIZE FOR POLYETHYLENE BAGS  
CHART 3



## APPENDIX

### SHIPPING CARTON DIMENSIONS

CARTON #	APPROXIMATE OUTSIDE DIMENSIONS (Length x Width x Height)	VOLUME	CARTONS/ PALLET
0C-0004 .....	15" x 9-1/8" x 19-3/8" (38.1 cm x 23.2 cm x 49.2 cm)	1.53 cu. ft. (0.043 m <sup>3</sup> )	26*
0C-0005 .....	4-7/8" x 3-5/8" x 24-5/8" (12.4 cm x 9.2 cm x 62.5 cm)	0.25 cu. ft. (0.007 m <sup>3</sup> )	200
0C-0006 .....	4-7/8" x 3-1/2" x 19-5/8" (12.4 cm x 8.9 cm x 49.8 cm)	0.19 cu. ft. (0.005 m <sup>3</sup> )	200
0C-0007 .....	13-1/4" x 11-1/2" x 23-5/8" (33.7 cm x 29.2 cm x 60 cm)	2.08 cu. ft. (0.059 m <sup>3</sup> )	24
0C-0129 .....	15" x 15" x 6-7/8" (38.1 cm x 38.1 cm x 17.5 cm)	0.90 cu. ft. (0.025 m <sup>3</sup> )	72
0C-0203 .....	13-5/8" x 13-5/8" x 28-3/4" (34.6 cm x 34.6 cm x 73 cm)	3.09 cu. ft. (0.087 m <sup>3</sup> )	27
0C-0233 .....	7-1/2" x 4-1/8" x 12-1/2" (19.1 cm x 10.5 cm x 31.8 cm)	0.22 cu. ft. (0.006 m <sup>3</sup> )	200
0C-0522 .....	14-7/8" x 14-7/8" x 15-1/4" (37.8 cm x 37.8 cm x 38.7 cm)	1.95 cu. ft. (0.055 m <sup>3</sup> )	36**
0C-0719 .....	13" x 12-1/8" x 7" (33 cm x 30.8 cm x 17.8 cm)	0.64 cu. ft. (0.018 m <sup>3</sup> )	96
0C-0733 .....	10-1/8" x 10-1/8" x 10-3/8" (25.7 cm x 25.7 cm x 26.4 cm)	0.62 cu. ft. (0.017 m <sup>3</sup> )	100
0C-0906 .....	15-5/8" x 8-1/8" x 5-7/8" (39.7 cm x 20.6 cm x 14.9 cm)	0.43 cu. ft. (0.012 m <sup>3</sup> )	150

\*JSRC packed 39 cartons/pallet.

\*\*Z72-NRP and Z90-NRP packed 27 cartons/pallet (New Haven).





## APPENDIX

# TERMS AND CONDITIONS

**TERMS:** All Kwik Lok Products are sold Ex Works. Terms available on approved credit are net cash 30 days. Custom printed closure-labels, automatic equipment and large volume orders may require payment in advance

**CLOSURE WARRANTY:** Closures are warranted to be free of manufacturing defects. Closures are guaranteed to be usable for one-year after manufacturing date. Closure-label warranty is void if closure-labels are stored at temperatures below 32°F (0°C) or over 100°F (37.8°C). We do not suggest closure-labels be stored in metal sheds or buildings that are not adequately protected from heat.

### RETURN POLICY FOR CLOSURES AND CLOSURE-LABELS:

Kwik Lok Corporation understands that sometimes products do not fit the needs of our customers for one reason or another. Therefore, when requesting to return products, we ask that you follow the steps outlined below.

#### 1. Before you return products:

Most product issues can be resolved by contacting a Kwik Lok Customer Service Representative. Credit will be issued for acceptable product returns. In this event you will need to receive pre-approval and obtain a valid Return Material Authorization (RMA). The RMA number must be issued from the facility that the closures/closure-labels were originally invoiced from.

- No returns will be accepted without a valid RMA.
- Return Material Authorizations are valid for 30 days.

#### 2. Acceptable product returns:

- Products must be returned in resalable condition.
- All products must be in original Kwik Lok cartons.
- No damaged, partial or open cartons will be accepted.
- All shipping documents, correspondence, Bill of Lading and cartons should include the RMA number.
- No custom orders, such as pre-printed labels, are refundable other than for reasons of defects.
- Unless otherwise stated, all returns or exchanges must be shipped prepaid.

#### 3. Restocking fees and rejected returns:

- All product returns for reasons other than order processing errors or production defects are subject to a 15% restocking fee.
- Kwik Lok reserves the right to refuse return shipment of damaged product.
- Products arriving at any Kwik Lok factory without pre-approval and an RMA number will be refused and returned to shipper.



**Kwik Lok**® CORPORATION

P.O. BOX 9548 YAKIMA, WA. 98909 1-800-688-5945

P.O. Box 96 NEW HAVEN, IN. 1-800-825-5945

Internet: [www.kwiklok.com](http://www.kwiklok.com)